

	DCP-T226	DCP-T426W
FUNCTION	Print, Scan, Copy	Print, Scan, Copy
GENERAL		
Memory	64MB	64MB
Display	LED	LED
Interface	Hi-Speed USB 2.0	Hi-Speed USB 2.0
Wired / Wireless Network	—	Wireless LAN
Model Colour	White	White
COLOUR PRINT FUNCTION		
Print Speed (Laser Comparable)*	Up to 16ipm (mono) and 9ipm (colour)	Up to 16ipm (mono) and 9ipm (colour)
Print Speed (Fast Mode)	Up to 28ppm (mono) and 11ppm (colour)	Up to 28ppm (mono) and 11ppm (colour)
First Print out time (FPOT)**	Up to 6.5sec (mono) and 10sec (colour)	Up to 6.5sec (mono) and 10sec (colour)
Print Resolution	Up to 1200x6000 dpi	Up to 1200x6000 dpi
2-sided Print	Manual (Up to A4 / LTR)	Manual (Up to A4 / LTR)
Borderless Printing	Yes	Yes
Colour Enhancement (Customise colour output via Brother image enhancement)	Yes	Yes
Mobile Print	—	Brother iPrint&Scan, Mobile Connect, Mopria
WebConnect	—	—
Direct Wireless Connection	—	Wireless Direct*
COLOUR COPY FUNCTION		
Maximum Copy Size	Up to A4	Up to A4
Copy Speed (Laser Comparable)	Up to 8ipm (mono) and 3ipm (colour)*	Up to 8ipm (mono) and 3ipm (colour)*
Copy Speed (FCOT)**	Up to 11.5 sec (mono) and 27 sec (colour)	Up to 11.5 sec (mono) and 27 sec (colour)
Copy Resolution (Colour)	Print: Max. 1200x1800 dpi Scan: Max. 1200x600 dpi	Print: Max. 1200x1800 dpi Scan: Max. 1200x600 dpi
Enlargement / Reduction Ratio	25% – 400% in 1% increments	25% – 400% in 1% increments
N in 1 Copy	2in1 / 2in1 (ID) / 4in1 (Remote Copy)	2in1 / 2in1 (ID) / 4in1 (Remote Copy)
Remove Background Colour	Yes (Remote Copy)	Yes (Remote Copy)
COLOUR SCAN FUNCTION		
Maximum Scan Size	Up to A4	Up to A4
Scan Resolution	Optical: Up to 1,200 x 2,400 dpi Interpolated: Up to 19,200 x 19,200 dpi (For Windows 7 / Windows 8 / Window 8.1 / 10)	Optical: Up to 1200dpi x 2400 dpi Interpolated: Up to 19,200dpi x 19,200 dpi (For Windows 7 / Window 8 / Window8.1 / 10)
Scan Speed	From 3.35 sec / 4.38sec (A4 size, 100 x 100 dpi)	From 3.35 sec / 4.38 sec (A4 size, 10 x 100 dpi)
"Scan To" Feature	Image, OCR, Email, File	Image, OCR, Email, File
ADDITIONAL FEATURES		
Email Print	—	Yes
Brother's Apps	—	—
DIRECT PHOTO PRINTING		
USB Direct Print	—	—
PAPER HANDLING		
Paper Input (Standard Tray)	Up to 150 sheets (80g / m ²)	Up to 150 sheets (80g / m ²)
Paper Input (Manual Feed Slot)	1 sheet	1 sheet
Paper Input (Multi-Purpose Tray)	—	—
Paper Output	Up to 50 sheets (up to A4)	Up to 50 sheets (up to A4)
Automatic Document Feeder	—	—
Paper Handling Sizes (Standard Tray)	A4, LTR, EXE, A5, A6, Photo-4"x6", 5"x7", Indexcard-5"x8", C5 Envelope, Com-10, DL Envelope, Monarch	A4, LTR, EXE, A5, A6, Photo-4"x6", 5"x7", Indexcard-5"x8", C5 Envelope, Com-10, DL Envelope, Monarch
Paper Handling Sizes (Manual Feed Slot)	A4, LTR, EXE, A5, A6, Indexcard 5"x8", C5 Envelope, Com-10, DL Envelope, Photo 4"x6", 3.5"x5", 5"x7"	A4, LTR, EXE, A5, A6, Indexcard 5"x8", C5 Envelope, Com-10, DL Envelope, Photo 4"x6", 3.5"x5", 5"x7"
Paper Handling Sizes (Multi-Purpose Tray)	—	—
Media Type (Standard Tray)	Plain, Inkjet, Glossy (cast / resin), Recycled (Media weight 64 – 220g / m ²)	Plain, Inkjet, Glossy (cast / resin), Recycled (Media weight 64 – 220g / m ²)
Media Type (Manual Feed Slot)	Plain, Inkjet, Glossy (cast / resin), Recycled (Media weight 64 – 300g / m ²)	Plain, Inkjet, Glossy (cast / resin), Recycled (Media weight 64 – 300g / m ²)
Media Type (Multi-Purpose Tray)	—	—
SUPPORTED OS & SOFTWARE		
Supported Operating Systems	Windows: 7 SP1 / 8.1 / 10 / 11 Mac: OS [®] v10.15.x / 11 / 12	Windows: 7 SP1 / 8.1 / 10 / 11 / Server 2008 / Server 2008 R2 / Server 2012 / Server 2012 R2 / Server 2016 / 2019 / 2022 Mac: OS [®] v10.15.x / 11 / 12
Network Management Tools	—	BRAdmin Light*
SUPPLIES		
Ink Bottle	BTD60 BK: Approximate Yield 7500 A4 pages* BT 5000 C / M / Y: Approximate Yield 5000 A4 pages*	BTD60 BK: Approximate Yield 7500 A4 pages* BT 5000 C / M / Y: Approximate Yield 5000 A4 pages*
Brother Paper	BP71GA4: A4 glossy photo paper BP71GP20: 4x6" glossy photo paper BP60MA: A4 matte paper BP60PA: A4 plain paper	BP71GA4: A4 glossy photo paper BP71GP20: 4x6" glossy photo paper BP60MA: A4 matte paper BP60PA: A4 plain paper
DIMENSIONS & WEIGHT		
Without Carton	435mm(W) x 359mm(D) x 159mm(H) / 6.4kg	435mm(W) x 359mm(D) x 159mm(H) / 6.4kg

Footnotes:

* Based on ISO / IEC 24734. For more information, please refer to www.brother.com/rd/printspeed

** Based on ISO / ICE 17629. For more information, please refer to www.brother.com/rd/printspeed

* Based on ISO / IEC 29183 for models without Automatic Document Feeder. For more information, please refer to www.brother.com/rd/printspeed

** Based on ISO / IEC 24735 Annex D

* Not supported on Mac and Linux. Available for download at <http://support.brother.com>

* Approximate page yield is extrapolated based on Brother original Methodology using Test Patterns ISO / IEC 24712

> This machine has Wireless Direct function to connect a machine and a mobile device.

>> For printing and scanning from Mac, use AirPrint or download iPrint&Scan from Mac App Store. Brother iPrint&Scan application on macOS supports PDF / JPG / BMP and PNG format only. Mac driver is not provided.

Information correct as at the time of publication and may change without prior notice.



BROTHER INK TANK PRINTERS MAKE AN IMPACT

Superior print quality for home/office



Wireless printing



Easy to use



High-volume printing



Multi-functional



www.brother.com



One-stop centre for free downloadable templates



Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality print, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.

Microsoft, Windows, the Windows logo and/or other Microsoft products referenced here are either registered trademarks of Microsoft Corporation in the U.S and/or other countries. Brother and its logo are trademarks of Brother Industries Ltd., Japan. All specifications are subject to change without notice. All registered trademarks referenced here are the property of their respective companies.

Brother International Corporation, Japan.

inkbenefit
ink tank series



LIFE IN BRILLIANT COLOUR



Whether it's for business or pleasure, print as you wish. Designed to lower printing costs and increase productivity, Brother Ink Tank Printers promise quality prints in brilliant colour without breaking the bank.

Speed up your workflow, and enjoy a fuss-free printing experience! Our affordable high-performance printers and ultra-high-yield ink bottles can print up to 7,500 pages in black and 5,000 pages in colour.



ENJOY EFFORTLESS PRINTING AND INCREDIBLE SAVINGS AT HOME



High-quality Printouts

Expand your print capabilities and enjoy crisp, clear text and brilliant colour graphics with resolutions of up to 1,200 x 6,000 dpi per print.



Print From Anywhere

With flexible connectivity options, our printers are equipped with direct mobile print for the convenience of printing wirelessly.



Easy Refill

Designed to minimise the risk of mess and leakage, enjoy quick, fuss-free refills and easy monitoring of your printer's ink levels.



Space-saving

Stylish and compact, our multi-functional printers are small in size but big on efficiency.



3-year Warranty

Includes warranty coverage of up to 3 years or up to 30,000 prints, whichever comes first.



DCP-T220 | DCP-T226

- Easy to use**
- Print | Scan | Copy
 - Super low cost
 - Simple UI



DCP-T420W | DCP-T426W

- Convenient printing**
- Print | Scan | Copy
 - Super low cost
 - Simple UI
 - Wireless & mobile printing



SUPERCHARGE YOUR PRODUCTIVITY



High-volume Printing
Boost office proficiency and handle a variety of print jobs with Brother's Ultra High Yield Ink bottles. Print up to 7,500 pages** in black and 5,000 pages** in colour, all at a low cost per print.



Print From Anywhere
With built-in WiFi and Ethernet network, Brother Printers are equipped with direct mobile print, and make it easy to print even when you're not in the office.



Fast First Print Out Time
With no warm-up time needed, Brother Printers speed up your workflows so you can do more in less time.



Duplex Printing*
Increase efficiency for home and business environments when you print larger volumes. With our automatic 2-sided printers, reduce paper wastage without having to manually turn the pages.



Decentralised Printing
Opting for a decentralised printer fleet is particularly useful in today's connected environment where confidentiality and fast, direct access to prints is crucial, and print queues are shortened for more efficiency.



Multi-purpose Tray & Auto Document Feeder*
Handle a variety of print jobs with an 80-sheet paper tray and an additional 20-sheet auto document feed slot that provides support for various paper sizes and weights.



3-year Warranty
Includes warranty coverage of up to 3 years or up to 30,000 prints, whichever comes first.



DCP-T520W

- Print on the go**
- Print | Scan | Copy
 - Wireless printing
 - Mobile printing



DCP-T720DW

- Reliable multifunction**
- Print | Scan | Copy
 - Wireless printing
 - Duplex printing
 - 20-sheet Auto Document Feeder



DCP-T820DW

- High-speed printing**
- Print | Scan | Copy
 - Wired/Wireless printing
 - Duplex printing
 - 20-sheet Auto Document Feeder
 - 80-sheet multi-purpose tray



MFC-T920DW

- High-volume printing**
- Print | Scan | Copy | Fax
 - Wired/Wireless printing
 - Duplex printing
 - 20-sheet Auto Document Feeder
 - 80-sheet multi-purpose tray
 - 1.8-inch LCD screen

* For selected models only.
** Approximate cartridge yield is declared in accordance with ISO / IEC24712.

SPECIFICATION

FUNCTION	DCP-T220	DCP-T420W	DCP-T520W	DCP-T720DW	DCP-T820DW	MFC-T920DW
GENERAL						
	Print, Scan, Copy	Print, Scan, Copy	Print, Scan, Copy	Print, Scan, Copy	Print, Scan, Copy	Print, Scan, Copy, Fax
Memory	64MB	64MB	128MB	128MB	128MB	128MB
Display	LED	LED	1 Line LCD	1 Line LCD	1 Line LCD	1.8" TFT Colour LCD
Interface	Hi-Speed USB 2.0	Hi-Speed USB 2.0	Hi-Speed USB 2.0	Hi-Speed USB 2.0	Hi-Speed USB 2.0	Hi-Speed USB 2.0
Wired / Wireless Network	—	Wireless LAN	Wireless LAN	Wireless LAN	Wired / Wireless LAN	Wired / Wireless LAN
COLOUR PRINT FUNCTION						
Print Speed (Laser Comparable)*	Up to 16ipm (mono) and 9ipm (colour)	Up to 16ipm (mono) and 9ipm (colour)	Up to 17ipm (mono) and 9.5ipm (colour)	Up to 17ipm (mono) and 16.5ipm (colour)	Up to 17ipm (mono) and 16.5ipm (colour)	Up to 17ipm (mono) and 16.5ipm (colour)
Print Speed (Fast Mode)	Up to 28ppm (mono) and 11ppm (colour)	Up to 28ppm (mono) and 11ppm (colour)	Up to 30ppm (mono) and 12ppm (colour)	Up to 30ppm (mono) and 26ppm (colour)	Up to 30ppm (mono) and 26ppm (colour)	Up to 30ppm (mono) and 26ppm (colour)
First Print out time (FPOT)**	Up to 6.5 sec (mono) and 10 sec (colour)	Up to 6.5 sec (mono) and 10 sec (colour)	Up to 6 sec (mono) and 9.5 sec (colour)	Up to 6 sec (mono) and 6.5 sec (colour)	Up to 6 sec (mono) and 6.5 sec (colour)	Up to 6 sec (mono) and 6.5 sec (colour)
Print Resolution	Up to 1200 x 6000 dpi	Up to 1200 x 6000 dpi	Up to 1200 x 6000 dpi	Up to 1200 x 6000 dpi	Up to 1200 x 6000 dpi	Up to 1200 x 6000 dpi
2-sided Print	Manual (Up to A4 / LTR)	Manual (Up to A4 / LTR)	Manual (Up to A4 / LTR)	Manual (Up to A4 / LTR)	Automatic (Up to A4 / LTR)	Automatic (Up to A4 / LTR)
Borderless Printing	Yes	Yes	Yes	Yes	Yes	Yes
Colour Enhancement (Customise colour output via Brother image enhancement)	Yes	Yes	Yes	Yes	Yes	Yes
Mobile Print	—	Brother iPrint&Scan, Mobile Connect, Mopria	Brother iPrint&Scan, Mobile Connect, AirPrint, Mopria	Brother iPrint&Scan, Mobile Connect, AirPrint, Mopria	Brother iPrint&Scan, Mobile Connect, AirPrint, Mopria	Brother iPrint&Scan, Mobile Connect, AirPrint, Mopria
WebConnect	—	—	—	—	—	Yes
Direct Wireless Connection³	—	Wireless Direct	Wi-Fi Direct	Wi-Fi Direct	Wi-Fi Direct	Wi-Fi Direct
COLOUR COPY FUNCTION						
Maximum Copy Size	Up to A4	Up to A4	Up to A4	Up to A4	Up to A4	Up to A4
Copy Speed (Laser Comparable)	Up to 8ipm (mono) and 3ipm (colour)**	Up to 8ipm (mono) and 3ipm (colour)**	Up to 11.5ipm (mono) and 4ipm (colour)**	Up to 13ipm (mono) and 10.5ipm (colour)**	Up to 13ipm (mono) and 10.5ipm (colour)**	Up to 13ipm (mono) and 10.5ipm (colour)**
Copy Speed (FCOT)***	Up to 11.5 sec (mono) and 27 sec (colour)	Up to 11.5 sec (mono) and 27 sec (colour)	Up to 10.5 sec (mono) and 22.5 sec (colour)	Up to 10.5 sec (mono) and 21 sec (colour)	Up to 10.5 sec (mono) and 21 sec (colour)	Up to 10.5 sec (mono) and 21 sec (colour)
Copy Resolution (Colour)	Print: Max. 1200 x 1800 dpi Scan: Max. 1200 x 600 dpi	Print: Max. 1200 x 1800 dpi Scan: Max. 1200 x 600 dpi	Print: Max. 1200 x 1800 dpi Scan: Max. 1200 x 600 dpi	Print: Max. 1200 x 2400 dpi Scan: Max. 1200 x 600 dpi	Print: Max. 1200 x 2400 dpi Scan: Max. 1200 x 600 dpi	Print: Max. 1200 x 2400 dpi Scan: Max. 1200 x 600 dpi
Enlargement / Reduction Ratio	25% – 400% in 1% increments	25% – 400% in 1% increments	25% – 400% in 1% increments	25% – 400% in 1% increments	25% – 400% in 1% increments	25% – 400% in 1% increments
N in 1 Copy	2 in 1 / 2 in 1 (ID) / 4 in 1 (Remote copy)	2 in 1 / 2 in 1 (ID copy) / 4 in 1 (Remote copy)	2 in 1 / 2 in 1 (ID copy) / 4 in 1	2 in 1 / 2 in 1 (ID copy) / 4 in 1	2 in 1 / 2 in 1 (ID copy) / 4 in 1	2 in 1 / 2 in 1 (ID copy) / 4 in 1
Remove Background Colour	Yes (Remote Copy)	Yes (Remote Copy)	Yes	Yes	Yes	Yes
COLOUR SCAN FUNCTION						
Maximum Scan Size	Up to A4	Up to A4	Up to A4	Up to A4	Up to A4	Up to A4
Scan Resolution	Optical: Up to 1200 x 2400 dpi	Optical: Up to 1200 x 2400 dpi	Optical: Up to 1200 x 2400 dpi	Optical: Up to 1200 x 2400 dpi (ADF: Up to 1200 x 600 dpi)	Optical: Up to 1200 x 2400 dpi (ADF: Up to 1200 x 600 dpi)	Optical: Up to 1200 x 2400 dpi (ADF: Up to 1200 x 600 dpi)
Scan Speed	From 3.35 sec / 4.38 sec (A4 size, 100 x 100 dpi)	From 3.35 sec / 4.38 sec (A4 size, 100 x 100 dpi)	From 3.35 sec / 4.38 sec (A4 size, 100 x 100 dpi)	From 3.35 sec / 4.38 sec (A4 size, 100 x 100 dpi)	From 3.35 sec / 4.38 sec (A4 size, 100 x 100 dpi)	From 3.35 sec / 4.38 sec (A4 size, 100 x 100 dpi)
"Scan To" Feature	Image, OCR, Email, File	Image, OCR, Email, File	Image, OCR, Email, File	Image, OCR, Email, File	Image, OCR, Email, File	Image, OCR, Email, File, USB memory
FAX FUNCTION						
Maximum Fax Size	—	—	—	—	—	A4, LTR, LEGAL (with ADF)
Modem	—	—	—	—	—	14.4 kbps
Memory Transmission***	—	—	—	—	—	Up to 170 pages
Speed Dials	—	—	—	—	—	40
Group Dials	—	—	—	—	—	Up to 6 groups
Out of Paper Reception***	—	—	—	—	—	Up to 170 pages
PC-Fax	—	—	—	—	—	Sending & Receiving* (mono & Window only)
ADDITIONAL FEATURES						
Email Print	—	Yes	Yes	Yes	Yes	Yes
Brother's Apps	—	—	—	—	—	Yes
DIRECT PHOTO PRINTING						
USB Direct Print	—	—	—	—	—	Yes (JPEG)
PAPER HANDLING						
Paper Input (Standard Tray)	Up to 150 sheets (80g / m2)	Up to 150 sheets (80g / m2)	Up to 150 sheets (80g / m2)	Up to 150 sheets (80g / m2)	Up to 150 sheets (80g / m2)	Up to 150 sheets (80g / m2)
Paper Input (Manual Feed Slot)	1 sheet	1 sheet	1 sheet	1 sheet	—	—
Paper Input (Multi-Purpose Tray)	—	—	—	—	80 sheets (Plain Paper – 80g / m2)	80 sheets (Plain Paper – 80g / m2)
Paper Output	Up to 50 sheets (up to A4)	Up to 50 sheets (up to A4)	Up to 50 sheets (up to A4)	Up to 50 sheets (up to A4)	Up to 50 sheets (up to A4)	Up to 50 sheets (up to A4)
Automatic Document Feeder	—	—	—	Up to 20 sheets (80g / m2)	Up to 20 sheets (80g / m2)	Up to 20 sheets (80g / m2)
Paper Handling Sizes (Standard Tray)	A4, LTR, EXE, A5, A6, Photo 4" x 6", Indexcard 5" x 8", C5 Envelope, Com-10, DL Envelope, Monarch	A4, LTR, EXE, A5, A6, Photo 4" x 6", Indexcard 5" x 8", C5 Envelope, Com-10, DL Envelope, Monarch	A4, LTR, EXE, A5, A6, Photo 4" x 6", Indexcard 5" x 8", C5 Envelope, Com-10, DL Envelope, Monarch	A4, LTR, EXE, A5, A6, Photo 4" x 6", Indexcard 5" x 8", C5 Envelope, Com-10, DL Envelope, Monarch	A4, LTR, EXE, A5, A6, Photo 4" x 6", Indexcard 5" x 8", C5 Envelope, Com-10, DL Envelope, Monarch	A4, LTR, EXE, A5, A6, Photo 4" x 6", Indexcard 5" x 8", C5 Envelope, Com-10, DL Envelope, Monarch
Paper Handling Sizes (Manual Feed Slot)	A4, LTR, EXE, A5, A6, Indexcard 5" x 8", C5 Envelope, Com-10, DL Envelope, Photo 4" x 6", 3.5" x 5", 5" x 7"	A4, LTR, EXE, A5, A6, Indexcard 5" x 8", C5 Envelope, Com-10, DL Envelope, Photo 4" x 6", 3.5" x 5", 5" x 7"	A4, LTR, EXE, A5, A6, Indexcard 5" x 8", C5 Envelope, Com-10, DL Envelope, Photo 4" x 6", 3.5" x 5", 5" x 7"	A4, LTR, EXE, A5, A6, Indexcard 5" x 8", C5 Envelope, Com-10, DL Envelope, Photo 4" x 6", 3.5" x 5", 5" x 7"	—	—
Paper Handling Sizes (Multi-Purpose Tray)	—	—	—	—	A4, LTR, EXE, A5, A6, Indexcard 5" x 8", Photo 3.5" x 5", 4" x 6", 5" x 7", C5 Envelope, Com-10, DL Envelope, Monarch	A4, LTR, EXE, A5, A6, Indexcard 5" x 8", Photo 3.5" x 5", 4" x 6", 5" x 7", C5 Envelope, Com-10, DL Envelope, Monarch
Media Type (Standard Tray)	Plain, Inkjet, Glossy (cast / resin), Recycled (Media weight 64 – 220g / m2)	Plain, Inkjet, Glossy (cast / resin), Recycled (Media weight 64 – 220g / m2)	Plain, Inkjet, Glossy (cast / resin), Recycled (Media weight 64 – 220g / m2)	Plain, Inkjet, Glossy (cast / resin), Recycled (Media weight 64 – 220g / m2)	Plain, Inkjet, Glossy (cast / resin), Recycled (Media weight 64 – 220g / m2)	Plain, Inkjet, Glossy (cast / resin), Recycled (Media weight 64 – 220g / m2)
Media Type (Manual Feed Slot)	Plain, Inkjet, Glossy (cast / resin), Recycled (Media weight 64 – 300g / m2)	Plain, Inkjet, Glossy (cast / resin), Recycled (Media weight 64 – 300g / m2)	Plain, Inkjet, Glossy (cast / resin), Recycled (Media weight 64 – 300g / m2)	Plain, Inkjet, Glossy (cast / resin), Recycled (Media weight 64 – 300g / m2)	—	—
Media Type (Multi-Purpose Tray)	—	—	—	—	Plain, Inkjet, Glossy (cast / resin), Recycled (Media weight 64 – 220g / m2)	Plain, Inkjet, Glossy (cast / resin), Recycled (Media weight 64 – 220g / m2)
SUPPORTED OS & SOFTWARE						
Supported Operating Systems	Windows: 7 SP1 / 8.1 / 10 / 11 Mac: OS ² : v10.15.x / 11 / 12	Windows: 7 SP1 / 8.1 / 10 Server: 2008 / 2008 R2 / 2012 / 2012 R2 / 2016 / 2019 macOS ² : v10.13.6 / 10.14.x / 10.15.x	Windows: 7 SP1 / 8.1 / 10 Server: 2008 / 2008 R2 / 2012 / 2012 R2 / 2016 / 2019 macOS ² : v10.13.6 / 10.14.x / 10.15.x	Windows: 7 SP1 / 8.1 / 10 Server: 2008 / 2008 R2 / 2012 / 2012 R2 / 2016 / 2019 macOS ² : v10.13.6 / 10.14.x / 10.15.x	Windows: 7 SP1 / 8.1 / 10 Server: 2008 / 2008 R2 / 2012 / 2012 R2 / 2016 / 2019 macOS ² : v10.13.6 / 10.14.x / 10.15.x	Windows: 7 SP1 / 8.1 / 10 Server: 2008 / 2008 R2 / 2012 / 2012 R2 / 2016 / 2019 macOS ² : v10.13.6 / 10.14.x / 10.15.x
Network Management Tools	—	BRAdmin Light ⁴	BRAdmin Light ⁴	BRAdmin Light ⁴	BRAdmin Light ⁴	BRAdmin Light ⁴
DIMENSIONS & WEIGHT						
Without Carton	435mm(W) x 359mm(D) x 159mm(H) / 6.4kg	435mm(W) x 359mm(D) x 159mm(H) / 6.4kg	435mm(W) x 380mm(D) x 159mm(H) / 7.3kg	435mm(W) x 380mm(D) x 195mm(H) / 8.7kg	435mm(W) x 439mm(D) x 195mm(H) / 9.6kg	435mm(W) x 439mm(D) x 195mm(H) / 9.7kg

Supplies across all printer models:

Ink Bottle:

BTD60 BK: Approximate Yield 7500 A4 pages**

BT 5000 C / M / Y: Approximate Yield 5000 A4 pages**

Brother Paper:

BP71GA4: A4 Glossy Photo Paper

BP71GP20: 4" x 6" Glossy Photo Paper

BP60MA: A4 Matte Paper

BP60PA: A4 Plain Paper

Footnotes:

* Based on ISO / IEC 24734. For more information, please refer to www.brother.com/rd/printspeed

** Based on ISO / IEC 24735 for models with Automatic Document Feeder only. For more information, please refer to www.brother.com/rd/printspeed

*** Based on ISO / IEC 29183 for models without Automatic Document Feeder. For more information, please refer to www.brother.com/rd/printspeed

**** Based on ISO / IEC 24735 Annex D

***** Based on ISO / IEC 17629. For more information, please refer to www.brother.com/rd/printspeed

* Not supported on Mac and Linux. Available for download at <http://support.brother.com>

* Receiving is for Windows® only

** Approximate cartridge yield is declared in accordance with ISO / IEC24712

*** Based on ITU-T Test Chart No 1/MMR

† Printing and scanning via Mac requires using either AirPrint or downloading Brother iPrint&Scan from the App Store. Brother iPrint&Scan on macOS supports PDF / JPG / BMP and PNG formats only. Mac printer driver is not provided. AirPrint is not available for DCP-T220 and DCP-T420W

‡ Wi-Fi Direct and wireless direct both provide direct wireless connections between your printer and a mobile device or computer without a router

Information correct as at the time of publication and may change without prior notice.