


DS-40i



quadi⁷ent
Because connections matter.

Folder Inserter

Fast, Easy, Compact



**BACKED BY
THE EXPERTS**
Gartner, IDC,
Forrester, and Aspire



EXPERIENCE
A rich history
of world-class
leadership



PROVEN RESULTS
97% customer
satisfaction
rate



EXPERTISE
7 trillion
personalized
experiences annually

Simplify Your Document Process

A smart, versatile solution to meet your mailing needs

Communicating with customers is an essential part of your business. That is why a fast and efficient mailing process is essential. The DS-40i folder inserter introduces an automated process that takes mail processing from hours to minutes. Manual processes take time and resources that could be better focused on more valuable tasks.

User-Friendly System

The DS-40i includes an intuitive 5-inch color touch screen for easy operation. With the incorporated wizard-based software, you can easily program, adjust settings and run your jobs, letting the software guide you each step of the way.

Design Versatility

Ten times faster than the manual process, the DS-40i's proven reliability and ease-of-use will allow you to complete jobs quickly and efficiently. Its office-friendly design provides easy accessibility to the entire paper path.

Flexible Document Feeding

The DS-40i accepts a wide variety of documents, such as invoices, statements, inserts and envelopes. With double feeding detection, you can rest assured that each envelope has the correct number of documents. Give your communications a professionally finished look and feel by choosing one of the three folding choices: letter fold, single fold or double parallel fold.



Business Impact



Revenue Growth

Speeds invoice processing and payment time



Risk Mitigation

Ensures each envelope has the correct number of documents



Customer Engagement

Improves the quality and process of customer communications



Expense Control

Reduces operating costs through process automation

DS-40i



1. DOCUMENT FEEDER

Two document feeders and one insert feeder provide ease-of-use, increased productivity and document processing versatility.



2. TOUCH SCREEN DISPLAY

Integrated 5-inch color touch screen with wizard-based instructions for easy and intuitive operation.



3. LARGE CATCH TRAY

Neatly stacks completed mailpieces for easy collection.



4. INSERT & BRE FEEDER

Easily include Business Reply Envelopes or small marketing inserts.

SPECIFICATIONS

Processing speed	Up to 1,350 envelopes/hour
5" Color touch screen	Standard
Job memory	Up to 15 programmable jobs
Document feeders	2
Insert/BRE feeder	1
Document feeder capacity	100 sheets (20 lb.)
Insert/BRE feeder capacity	100
Envelope feeder capacity	100
Folding capacity	Up to 5 sheets
Fold types	Letter, single, double parallel, no fold $\triangle \angle \triangleleft _$
WiFi enabled	Standard
Remote diagnostics/assistance/control	Standard
Document height	7" - 14"
Document width	5.6" - 8.9"
Document weight	18 - 30 lb.
Insert/BRE height	3.5" - 5.9"
Insert/BRE width	5.6" - 8.9"
Insert weight	20 - 62 lb.
BRE weight	19 - 30 lb.
Envelope height	4.1" - 6.5"
Envelope width	8.8" - 9.5" (standard 6" x 9.5", #10)
Options	
Tri-fold kit	Available
System Dimensions	
DS-40i without catch tray	Length x Depth x Height 26" x 17" x 22"
Weight	81 lbs.



WE'VE GOT YOU COVERED

Quadient maintains a network of offices across the country to provide local customer support and trained technicians who are ready to assist you. You can be confident that when you need knowledgeable support or expert service, the point-of-contact will be a Quadient office in your area consisting of a team of local professionals.

quadient
Because connections matter.

About Quadient®

Quadient is the driving force behind the world's most meaningful customer experiences. By focusing on Intelligent Communication Automation, Parcel Locker Solutions and Mail-Related Solutions, Quadient helps hundreds of thousands of customers worldwide simplify the connection between people and what matters. For more information about Quadient, visit quadient.com.

Quadient® and the Quadient logo are registered trademarks of Quadient group AG. All other company and product names may be trademarks and are the property of their respective owners. All information in this document, including descriptions of features, functions, performance and specifications is subject to change without written notice at any time. www.quadient.com